8700012

THE UNKLED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

FFR Cooperative

Colherens, There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE; IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PIANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S), AND THE SUCCESSORS. HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'FFR 561'

In Testimonn Watherest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 29th day of May in the year of our Lord one thousand nine hundred and eighty-seven.

Greating (

Secretary of Agriculture

Att.

Lenneth H. Evan

Plant Variety Protection Office Sanicultural Marketing Commission

Agricultural Marketing Servics

U.S. DEPARTMENT OF AGRICULTURE

APPROVAL EXPIRES 4-30-85 FORM APPROVED: OMB NO. 0581-0055

APPLICATION FOR PLANT VA	MARKETING SERVE & SEED DIVISION RIETY PROTE CONS ON reverse)	V	if a p be is held	lant variety sued (7 U.S	quired in order to determing protection certificate is to 5,C. 2421). Information is Il until certificate is issued		
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. V	ARIETY N	AME		
FFR Cooperative		TJS 329	I	FR 561			
4. ADDRESS (Street and No. or R.F.D. No., City, S	State, and Zip Code)	5. PHONE (Include area code)		FOR OFFICIAL USE ONLY			
4112 East State Road 225 West Lafayette, IN 47906		317/567-2115	PVP	8	700012		
6. GENUS AND SPECIES NAME	7. FAMILY NA	ME (Botanical)	,	RATE	3 1991		
Glycine Max	Legumin	osae	FILING	TIME 1000	MA.M. □ P.M.		
8. KIND NAME	9.	DATE OF DETERMINATION			FOR FILING		
Soybeans			RECEIVED	/ / _	tember 29, 1986		
10. IF THE APPLICANT NAMED IS NOT A "PERS partnership, association, etc.) Corporation	SON," GIVE FORM		FEES RE	\$ 20	1 FOR CERTIFICATE		
11. IF INCORPORATED, GIVE STATE OF INCOR Wisconsin 13. NAME AND ADDRESS OF APPLICANT REPR	And the second	The transfer of the second		DATE OF II	NCORPORATION		
West Lafayette, IN 47906 14. CHECK APPROPRIATE BOX FOR EACH ATT a. Exhibit A, Origin and Breeding History of Section 52 of the Plant Variety Protection	the Variety (See	PHONE (Include a) c. Exhibit C, Objective I from Plant Variety Pr	Descript	ion of the V			
b. XX Exhibit B, Novelty Statement		d. Exhibit D, Additional	Descrip	otion of the	RAS 11/24/86		
15. DOES THE APPLICANT(S) SPECIFY THAT SE SEED? (See Section 83(a) of the Plant Variety I	rotection Act.)	ETY BE SOLD BY VARIETY NAM Yes (If "Yes," answer	E ONL	Y AS A CL	ASS OF CERTIFIED		
16. DOES THE APPLICANT(S) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATIONS Yes X No. 12	IIS VARIETY BE	17. IF "YES" TO ITEM 16, BEYOND BREEDER SE	ED?	R/3			
18. DID THE APPLICANT(S) FILE FOR PROTECT	ION OF THE VARI	FOUNDATION THE U.S.?	26222 N	egistered ^f	Yes (If "Yes," give date)		
				EX	No		
19. HAS THE VARIETY BEEN OFFERED FOR SA	LE OR MARKETE	O IN THE U.S. OR OTHER COUNT	RIES?		Yes (If "Yes," give names		
U.S. in 1986					of countries and dates)		
20. The applicant(s) declare(s) that a viable sam plenished upon request in accordance with	ple of basic seeds	s of this variety will be furnished s may be applicable.	l with	the applica			
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in the Variety Protection Act.	mer(s) of this sext Section 41, and is	ually reproduced novel plant va entitled to protection under th	e provi	sions of S	ection 42 of the Plant		
Applicant(s) is (are) informed that false rep	resentation herein	can jeopardize protection and	result :	in penaltie	s.		
SIGNATURE OF APPLICANT	7			ΔTF			

DATE

13A. Exhibit A

Origin and Breeding History of the Variety

Pedigree: Essex//York/Dare

'FFR 561' was a single plant selection from a cross of 'Essex' x 'V68-920' (i.e. 'York' x 'Dare') in the ${\rm F}_5$ generation at Warsaw, Virginia in 1979. The earlier generations were developed using the pedigree selection method. Seed from the single pant was increased in the winter of 1979 in Central America.

'FFR 561' was first tested in a two location test at Manchester, Tennessee and Marshall, Missouri in 1980. It was again tested in a 3 location preliminary test in 1981. In 1982 'FFR 561' was tested at six locations and a preliminary seed increase was begun.

In the winter of 1982-83 breeder seed was grown both in Central America and Homestead, Florida. Foundation seed was grown in 1983 followed by registered seed in 1984 and certified seed in 1985.

'FFR 561' appears stable and uniform through our seed increase program. Purple flower offtypes appeared approximately 1:10,000 and were rogued out. The variety is essentially free of these contaminates at the present time.

13B. Exhibit B

Novelty Statement

'FFR 561' is most similar to 'Essex'. 'FFR 561' differs from 'Essex' in the following characteristics.

- 1. 'FFR 561' has white flowers while 'Essex' has purple flowers.
- 2. 'FFR 561' matures 2 days later than does 'Essex'.
- 3. 'FFR 561' is approximately seventeen (17) cm taller than 'Essex'.

Three Year Data from Virginia, Tennessee, Kentucky and North Carolina

Variety	Days to Maturity	Height (cm)
FFR 561	159	96.5
Essex	157	79.6

EXHIBIT C

- Page 1 of 4

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEA	AN (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
FFR Cooperative	- TJS 329	FFR 561
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod	e)	FOR OFFICIAL USE ONLY
4112 East State Road 225		PVPO NUMBER
West Lafayette, IN 47906		8700012
Choose the appropriate response which characterizes the var	iety in the features described	below. When the number of significant digit
in your answer is fewer than the number of boxes provided,	place a zero in the first box	when number is 9 or less (e.g., 0 9).
Starred characters rare considered fundamental to an adequ	ate soybean variety descript	ion. Other characters should be described
when information is available. 1. SEED SHAPE:		
1. SEED SHAFE:	$oldsymbol{O}$	•
ILI WI	T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	1 1	{L/W ratio > 1.2; L/T ratio = < 1.2}
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	The second secon	
The second secon		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
The state of the s		And the second s
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy	'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		<u> </u>
1 6 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
1 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Bla	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
1 = Yellow 2 = Green	the second secon	and the second of the second o
7. SEED PROTEIN PEROXIDASE ACTIVITY:		· · · · · · · · · · · · · · · · · · ·
1 = Low 2 = High		
		en e
8. SEED PROTEIN ELECTROPHORETIC BAND:		
$2 = \text{Type A (SP1}^{\text{a}}) \qquad 2 = \text{Type B (SP1}^{\text{b}})$	er er og skriver	
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with b 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	ronze band below cotyledons (*	Woodworth'; 'Tracy')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Co	oker Hampton 266A')	(x,y) = (x,y) + (x,y
D. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Ovai 3 = Ovate		
3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11. LE	AFLET SIZE:		ng signatur (ng si	e e e e e e e e e e e e e e e e e e e		
	1 = Small ('Amsoy 71'; 'A	5312')	2 = Medium ('Corsoy	* * *		•
L	3 = Large ('Crawford'; 'Tra	icy')				
	<u> </u>		<u> 1888 - Sakar Brasilina da da</u>	TA No.		
12. LE	AF COLOR:	14/4A 11 11 17			2 Low N	* •
· [1 = Light Green ('Weber';	'York')	2 = Medium Green ('C	orsoy 79'; 'Braxton	')	
یا ی	3 = Dark Green ('Gnome';					
13. FLC	OWER COLOR:		•		•	
- F	1 = White 2 =	= Purple	3 = White with purple thre	oat		
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		And the second of the second o		* * * * * *
14. POE	COLOR:					
	1 = Tan 2 = Br	01410 3 =	= Black			
ئے	1 · · · · · · · · · · · · · · · · · · ·	3-	- Diack	e e	en e	
15. PLA	NT PUBESCENCE COLOR:		· · · · · · · · · · · · · · · · · · ·			•
	1 = Gray 2 = Br	acon (Tacons)				
· · · · · ·	1 - Gray 2 - Bi	own (Tawny)			and the second of the second o	e e e
16. PLA	NT TYPES:					
1	1 = Slender ('Essex'; 'Amso 3 = Bushy ('Gnome'; 'Gova		2 = Intermediate ('Ame	or'; 'Braxton')	e version de la company	· · · · · · · · · · · · · · · · · · ·
17. PLA	NT HABIT:		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	<u> </u>
	ing dia mengangkan dia menggalawan dia menggalawan dia menggalawan dia menggalawan dia menggalawan dia menggal ■ Penggalawan dia menggalawan dia menggalawan dia menggalawan dia menggalawan dia menggalawan dia menggalawan		in the second		The second of th	
	1 = Determinate ('Gnome'; 3 = Indeterminate ('Nebsoy			(Will')		
	-				•	
18. MAT	URITY GROUP:		Service of the servic			
0 8	1 = 000 2 = 00 9 = VI 10 = VII	3 = 0 11 = VIII	4 = I	6 = III	7 = IV 8 = V	
						•
19. DISE	ASE REACTION: (Enter 0 = N	lot Tested; 1 = Susce	eptible; 2 = Resistant)		erige was en versioner en	
•						i ees
BA	CTERIAL DISEASES:	•	:			
× [0	Bacterial Pustule (Xanthom	onas phaseoli var. so	jensis)			
★ [0	Bacterial Blight (Pseudomoi	nas glycinea)			and the state of t	e de la companya de La companya de la co
	-				en e	
★ 0	Wildfire (Pseudomonas taba	ci)	erikan di Kabupatèn Barangan Kabupatèn Barangan			
FUN	GAL DISEASES:	Property of				
★ 0	Brown Spot <i>(Septoria glycin</i>	ies)	aler ou o		 A superior of the control of the contr	er en
		•		-		Ç.F
	Frogeye Leaf Spot (Cercosp	ora sojina)			e de la companya del companya de la companya del companya de la co	
★ 0	Race 1 0 Race 2	0 Race 3	0 Race 4	0 Race 5	Other (Specify)	
	Target Spot (Corynespora ca	essiicola)		7		
<u> </u>	1	ant a	ing for a state of the	Section of the sectio	The state of the s	
2	Downy Mildew (Peronospore	a trifoliorum var. ma	inshurica) ,	C # 1		
	Powdery Mildew (Microspha	era diffusa)	F Walls British	1		
★ 0	Brown Stem Rot (Cephalosp	orium gregatum)	en Carlo San Maria	e e e e e e e e e e e e e e e e e e e		
] 1		L. Mar Septiming Oc.			÷
2	Stem Canker (Diaporthe pha	seolorum var. caulivi	ora)	ining a single of the single o		


19. DISEASE REACTION: (Ente	er 0 = Not Tested; 1 = Susceptib	le; 2 = Resistant) (Co	ntinued)	er en estres a en en energe.						
FUNGAL DISEASES: (Co	ntinued)				•					
Pod and Stem Blight	(Diaporthe phaseolorum var; so	jae)			•					
Purple Seed Stain (Cercospora kikuchii)										
Rhizoctonia Root Ro	ot (Rhizoctonia solani)									
Phytophthora Rot (P	hytophthora megasperma var. so	ojae)								
★ 1 Race 1	Race 2 Race 3	1 Race 4	1 Race 5	1 Race 6	1 Race 7					
1 Race 8 1 F	Race 9 1 Other (Spec	ify)			11000 /					
VIRAL DISEASES:										
Bud Blight (Tobacco	Ringspot Virus)				•					
Yellow Mosaic (Bean	Yellow Mosaic Virus)									
★ 0 Cowpea Mosaic (Cowp										
Pod Mottle (Bean Pod										
★ 0 Seed Mottle (Soybean		•								
NEMATODE DISEASES:										
· · ·	de (Heterodera glycines)									
+ -	ace 2 1 Race 3	П в-т Г			-					
Lance Nematode (Hop.	المستدا	Race 4	Other (Spec	ity)						
	lematode <i>(Meloidogyne incognit</i>	fa l								
\equiv	ematode (<i>Meloidogyne Hapla</i>)	(<i>a)</i>		•						
 					:					
	natode (Meloidogyne arenaria)									
	Rotylenchulus reniformis)									
OTHER DISEASE NOT	FON FORM (Specify):			· · · · · · · · · · · · · · · · · · ·						
20. PHYSIOLOGICAL RESPONSES	: (Enter 0 = Not Tested; 1 = St	Isceptible: 2 = Resistar	nt)							
★ 0 Iron Chlorosis on Calcar										
Other (Specify)		•		·						
	Not Tested; 1 = Susceptible; 2	the state of the spine of the spine of		24 1044 8 5 5 5 4						
Mexican Bean Beetle (E)	化二甲基酚 医二甲二二甲基酚 经贷款债务	= Resistant)	Section 1.		e de la company					
Potato Leaf Hopper (Em		and the second s	gradien in de							
	ipoasca tabaej	so Into Catholic Williams	Berton (1997)							
Other (Specify)	A CONTRACTOR OF THE CONTRACTOR	and the second second second second second		ten di La La La Salata	— a kinaret ak i anking bekesi.					
2. INDICATE WHICH VARIETY M		THAT SUBMITTED.	War you have a second							
CHARACTER	NAME OF VARIETY	CHARAC	TER	NAME OF	VARIETY					
Plant Shape	Essex	Seed Coat L	uster	Essex	<u> </u>					
Leaf Shape Leaf Color	Essex			Essex	<u> </u>					
Leaf Size	Essex	out of the	State of the state	Essex						
	Essex	Seedling Pigr	Committee of the commit	Davis	<u> </u>					

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY ***	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE SEED CONTENT			SEED SIZE G/100	NO. SEEDS/
		HEIGHT	CM Width	CM Length % Protein	% Oil	SEEDS	POD	
Submitted	159	1	96.5	7	41.7	21.6	15.6	1.7
Essex Name of Similar Variety	157	1	79.6	70 (25 (25 (25 (25 (25 (25 (25 (25 (25 (25	41.9	21.3	15.6	1.6

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



13D. Exhibit D

Additional Description of the Variety

Variety	Flower Color	Pub. Color	Pod Color	Hilum Color	Maturity Group	Height in.	Lodging	Plant Type
FFR 561	White	Grey	Tan	Buff	V	38.0	1.0	dt.
Essex	Purple	Grey	Tan	Buff	V	33.0	1.0	dt.

'FFR 561' is a determinate group V variety. It has white flowers, grey pubescence and tan pods. The seed is yellow with a buff hilum. It has been shown to have excellent resistance to Stem Canker (Diaporthe phaseolorum var. caulivora).

14E. EXHIBIT E STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

"FFR 561" WAS BRED BY A NUMBER OF BREEDERS
EMPLOYED BY FFR COOPERATIVE.